

# system: SPIDER



The SPIDER system is a combination of many luminaires with one lamp canopy. The characteristic form guarantees full freedom – it is only up to us how we arrange the individual "arms". This modern accessory corresponds perfectly with various interior styles. It is a tasteful decoration in arrangements with a loft, Scandinavian or classic mood. The SPIDER system is ideally suited to the kitchen, living room, as well as public spaces. The raw charm makes it look great both in a minimalist form, e.g. with PET next mini fittings, and more decorative, for example, when the MODERN GLASS series is used.

System SPIDER to połączenie wielu opraw za pomocą jednej puszkii montażowej. Charakterystyczna forma gwarantuje pełną dowolność – tylko od nas zależy w jaki sposób rozmieścimy poszczególne „ramiona”. Ten nowoczesny dodatek dobrze komponuje się z różnymi stylami wnętrz. Jest gustowną ozdobą aranżacji w klimacie loftowym, skandynawskim oraz klasycznym. System SPIDER doskonale pasuje do kuchni czy salonu, jak i do przestrzeni publicznych. Surowy wdzięk sprawia, że świetnie prezentuje się zarówno w formie minimalistycznej np. z oprawami PET next mini, jak i bardziej dekoracyjnej, do której możemy wykorzystać serię MODERN GLASS.



Spider ceiling fixing allows to straighten the cable or create a loose loop on the ceiling by locking the fixing.




1. CHOOSE LUMINAIRE MODULE

Select the shape, finish and colour of the luminaire for the SPIDER system.

Wybierz kształt, wykończenie i kolor oprawy do systemu SPIDER.


suspended

new




**MODERN GLASS mini 24**  
aqform.com/**M19615**

new




**MODERN GLASS mini 48**  
aqform.com/**M19615**


new




**MODERN GLASS mini 70**  
aqform.com/**M19615**




**MODERN GLASS TUBE**  
aqform.com/**M11095**




**MODERN GLASS FLARED**  
aqform.com/**M11095**




**MODERN GLASS BARREL**  
aqform.com/**M11095**




**PET next mini 12**  
aqform.com/**P11815**




**PET next mini 20**  
aqform.com/**P11815**




**PET next mini 32**  
aqform.com/**P11815**



**PET next 12**  
aqform.com/**P10815**




**PET next 20**  
aqform.com/**P10815**




**PET next 32**  
aqform.com/**P10815**

new




**MODERN BALL mini**  
aqform.com/**M11115**

new



**MODERN BALL midi**  
aqform.com/**M12115**

new



**MODERN BALL maxi**  
aqform.com/**M13115**

wall



**MAXI POINT round**  
aqform.com/**M10112**



**MAXI POINT square**  
aqform.com/**M10212**










If you want, you can mix a few different sizes or shapes of one product family within one SPIDER!

2. CHOOSE LAMP CANOPY

Choose The size, colour and finish of the lamp canopy. More holes or non-standard arrangements are possible. Remember that more than one lamp canopy can be joined together. For versions of x6, x7 and x8 – check out our website.

Wybierz rozmiar, kolor i wykończenie puszki montażowej. Więcej otworów lub niestandardowe rozłożenie możliwe jest na zapytanie. Można łączyć przewodem kilka puszek ze sobą. Wersje x6, x7, x8 są dostępne na stronie.


Compatible only with non dim:  
MODERN GLASS mini,MODERN GLASS,  
PET next mini, PET next mini

| illustrative canopy drawing  | x2<br>2 holes | x2 side<br>2 holes side | x3<br>3 holes | x3 side<br>3 holes side | x4<br>4 holes | x4 side<br>4 holes side | x5<br>5 holes | x5 side<br>5 holes side |
|--|---------------|-------------------------|---------------|-------------------------|---------------|-------------------------|---------------|-------------------------|
| <br><b>CANOPY round 9 side</b>  |               |                         |               | 50590-__                |               |                         |               |                         |
| <br><b>CANOPY round 12 side</b> |               |                         |               |                         |               |                         |               | 50467-__                |
| <br><b>CANOPY round 27</b>      | 51489-__      | 51483-__                | 50469-__      | 51502-__                | 51490-__      | 51484-__                | 51491-__      | 51485-__                |
| <br><b>CANOPY round 27 side</b> |               |                         |               |                         |               |                         |               |                         |
| <br><b>CANOPY round 36</b>      | 51477-__      | 51495-__                | 51469-__      | 51496-__                | 51478-__      | 51497-__                | 51479-__      | 51498-__                |
| <br><b>CANOPY round 36 side</b> |               |                         |               |                         |               |                         |               |                         |
| <br><b>CANOPY round 44</b>    | 51471-__      |                         | 51470-__      |                         | 51472-__      |                         | 51473-__      |                         |
| <br><b>CANOPY bar 31x2</b>    | 51000-__      |                         | 51001-__      |                         |               |                         |               |                         |
| <br><b>CANOPY bar 55x3</b>    |               |                         |               |                         |               |                         |               |                         |

3. CHOOSE CEILING FIXING

Select the colour, finish and number of ceiling fixing needed.

Wybierz kolor, wykończenie i liczbę potrzebnych uchwytów montażowych.




ceiling fixing  
50249-\_\_


4. DEFINE CABLES

Choose the colour of the cable, then select the number of wires needed. The standard cable length per a SPIDER module is 1400mm. Longer on request.


Wybierz kolor przewodu, a następnie wybierz liczbę potrzebnych rzewodów. Standardowa długość przewodu na moduł SPIDER to 1400mm. Dłuższe dostępne na zamówienie.



black



white




transparent

STANDARD TYPE


1 | MODERN GLASS mini LED spider suspended

aqform.com/M19615




MODERN GLASS mini 28 TP LED spider suspended

3000K | 4.5W | 510lm | 41° | ON/OFF  
59892-M930-W1-00-\_\_



MODERN GLASS mini 42 TP LED spider suspended


3000K | 4.5W | 510lm | 41° | ON/OFF  
59893-M930-W1-00-\_\_



MODERN GLASS mini 70 TP LED spider suspended

3000K | 4.5W | 510lm | 41° | ON/OFF  
59894-M930-W1-00-\_\_

2 | MODERN GLASS spider suspended



➤ LED: 3000K | ON/OFF — aqform.com/M11095

| shade  | glass             | power | flux   | cat. no             |
|--------|-------------------|-------|--------|---------------------|
| FLARED | transparent plain | 8.5W  | 1140lm | 59852-M930-D9-00-__ |
|        | smoked plain      | 8.5W  | 1140lm | 59858-M930-D9-00-__ |
|        | transparent rhomb | 8.5W  | 1140lm | 59855-M930-D9-00-__ |
|        | white plain       | 8.5W  | 1140lm | 59861-M930-D9-00-__ |
| BARREL | transparent plain | 8.5W  | 1140lm | 59853-M930-D9-00-__ |
|        | smoked plain      | 8.5W  | 1140lm | 59859-M930-D9-00-__ |
|        | transparent rhomb | 8.5W  | 1140lm | 59856-M930-D9-00-__ |
|        | white plain       | 8.5W  | 1140lm | 59862-M930-D9-00-__ |
| TUBE   | transparent plain | 8.5W  | 1140lm | 59851-M930-D9-00-__ |
|        | smoked plain      | 8.5W  | 1140lm | 59857-M930-D9-00-__ |
|        | transparent rhomb | 8.5W  | 1140lm | 59854-M930-D9-00-__ |
|        | white plain       | 8.5W  | 1140lm | 59860-M930-D9-00-__ |

➤ standard E27 — aqform.com/M11025 | PAR16, GU10 — aqform.com/M11035

| shade  | glass             | E27                 | GU10                |
|--------|-------------------|---------------------|---------------------|
| FLARED | transparent plain | 54565-0000-U8-PH-__ | 54562-0000-U8-PH-__ |
|        | smoked plain      | 54564-0000-U8-PH-__ | 54580-0000-U8-PH-__ |
|        | transparent rhomb | 54574-0000-U8-PH-__ | 54571-0000-U8-PH-__ |
|        | white plain       | 59738-0000-U8-PH-__ | 59735-0000-U8-PH-__ |
| BARREL | transparent plain | 54566-0000-U8-PH-__ | 54563-0000-U8-PH-__ |
|        | smoked plain      | 54584-0000-U8-PH-__ | 54581-0000-U8-PH-__ |
|        | transparent rhomb | 54575-0000-U8-PH-__ | 54572-0000-U8-PH-__ |
|        | white plain       | 59739-0000-U8-PH-__ | 59736-0000-U8-PH-__ |
| TUBE   | transparent plain | 54564-0000-U8-PH-__ | 54561-0000-U8-PH-__ |
|        | smoked plain      | 54582-0000-U8-PH-__ | 54579-0000-U8-PH-__ |
|        | transparent rhomb | 54573-0000-U8-PH-__ | 54570-0000-U8-PH-__ |
|        | white plain       | 59737-0000-U8-PH-__ | 59734-0000-U8-PH-__ |

CREATE YOUR LIGHT

standard structure

black - 12    white - 13

additional

grey    copper    gold    multicolour    white & black

available parameters

power: M: 4.5W (520lm)  
CCT: 2700K | 3000K | 4000K  
beam angle: 20° | 41°  
control optional: ON/OFF | DALI\* | switchDIM\* | Aqsmart\*

\*possible for spiders with 3 to 8 luminaires modules,  
required lamp canopy with diameter of 360mm or bigger

standard structure

black - 12    white - 13

additional

grey    copper    gold

available LED parameters

power: M: 8.5W (1140lm)  
CCT: 2700K | 3000K | 4000K  
control optional: ON/OFF | DALI\* | switchDIM\* | Aqsmart\*

\*possible for spiders with 3 to 8 luminaires modules,  
required lamp canopy with diameter of 360mm or bigger

control: Phase-Control  
light source not included

STANDARD TYPE

1 | PET next mini LED spider suspended

aqform.com/P11815



PET next mini 12 LED spider suspended

3000K | 4.5W | 510lm | 41° | ON/OFF  
59819-M930-W1-00-\_\_



PET next mini 20 LED spider suspended

3000K | 4.5W | 510lm | 41° | ON/OFF  
59820-M930-W1-00-\_\_



PET next mini 32 LED spider suspended

3000K | 4.5W | 510lm | 41° | ON/OFF  
59821-M930-W1-00-\_\_

2 | PET next LED spider suspended

aqform.com/P10815



PET next 12 LED spider suspended

3000K | 8.5W | 1140lm | 35° | ON/OFF  
59816-M930-F1-00-\_\_



PET next 20 LED spider suspended

3000K | 8.5W | 1140lm | 35° | ON/OFF  
59817-M930-W1-00-\_\_



PET next 32 LED spider suspended

3000K | 8.5W | 1140lm | 35° | ON/OFF  
59818-M930-W1-00-\_\_

CREATE YOUR LIGHT

standard structure

black - 12    white - 13

additional

grey    copper    gold    multicolour    white & black

available parameters

power: M: 4.5W (520lm)  
CCT: 2700K | 3000K | 4000K  
beam angle: 20° | 41°  
control optional: ON/OFF | DALI\* | switchDIM\* | Aqsmart\*

\*possible for spiders with 3 to 8 luminaires modules,  
required lamp canopy with diameter of 360mm or bigger

standard structure

black - 12    white - 13

additional

grey    copper    gold    multicolour

available parameters

power: M: 8.5W (1140lm)  
CCT: 2700K | 3000K | 4000K  
beam angle: 18° | 35° | 50°  
control optional: ON/OFF | DALI\* | switchDIM\* | Aqsmart

\*possible for spiders with 1 to 6 luminaires modules,  
required lamp canopy with diameter of 360mm or bigger





## STANDARD TYPE

### 1 | MODERN BALL simple LED spider suspended



ø100

#### MODERN BALL simple mini LED spider suspended

[aqform.com/M11115](http://aqform.com/M11115)

3000K | 4.0W | 580lm | ON/OFF

59901-L930-D0-00-\_\_

3000K | 6.0W | 790lm | ON/OFF

59901-M930-D0-00-\_\_



ø150

#### MODERN BALL simple midi LED spider suspended

[aqform.com/M12115](http://aqform.com/M12115)

3000K | 6.0W | 830lm | ON/OFF

59852-L930-D0-00-\_\_

3000K | 9.0W | 1130lm | ON/OFF

59852-M930-D0-00-\_\_



ø200

#### MODERN BALL simple maxi LED spider suspended

[aqform.com/M13115](http://aqform.com/M13115)


3000K | 8.0W | 1170lm | ON/OFF

59902-L930-D0-00-\_\_

3000K | 11.5W | 1610lm | ON/OFF

59902-M930-D0-00-\_\_

### 2 | MAXI POINT LED spider wall



29

#### MAXI POINT round LED spider wall


[aqform.com/M10112](http://aqform.com/M10112)

**Ø80mm:** 3000K | 4.5W | 520lm | ON/OFF

26553-M930-D9-00-\_\_

**Ø128mm:** 3000K | 4.5W | 520lm | ON/OFF

26513-M930-D9-00-\_\_



29

#### MAXI POINT square LED spider wall

[aqform.com/M10212](http://aqform.com/M10212)

**80x80mm:** 3000K | 4.5W | 520lm | ON/OFF

26554-M930-D9-00-\_\_

**120x120mm:** 3000K | 4.5W | 520lm | ON/OFF

26516-M930-D9-00-\_\_

## CREATE YOUR LIGHT

### finishes

#### standard structure



black - 12



white - 13

#### additional



grey



copper



gold

### available parameters

**power:** L: 4W (580lm) – M: 11.5W (1610lm)

**CCT:** 2700K | 3000K | 4000K

**control optional:** ON/OFF | Phase-Control | DALI\* | switchDIM\* | Aqsmart\*

\*possible for spiders with 1 to 6 luminaires modules, required lamp canopy with diameter of 360mm or bigger

### finishes

#### standard structure



black - 12



white - 13

#### additional



grey



copper



gold

### available parameters

**power:** M: 4.5W (520lm)

**CCT:** 2700K | 3000K | 4000K

**control optional:** ON/OFF | DALI\* | switchDIM\* | Aqsmart\*

\*possible for spiders with 3 to 8 luminaires modules, required lamp canopy with diameter of 360mm or bigger





SPIDER lighting opens a lot of possibilities: you can mix up different numbers of luminaires modules, round or bar lamp canopies, and the way of hanging luminaires - with or without an additional ceiling fixing.











loft, Zielona Góra | design: Fanajlo Home Design Decor | photo: Krzysztof Strażyński STUDIO



ihome, Radom | design: ihome

